## MASSACHUSETTS CURRICULUM FRAMEWORK FOR MATHEMATICS- GRADE 7

Ratios and Proportional Relationships 7.RP		
Analyze proportional relationships and use them to solve real-world and mathematical problems.		
7.RP.1. Compute unit rates associated with ratios of fractions, including ratios of lengths, areas, and other quantities measured in like or different units. For example, if a person		
walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $\frac{\frac{1}{2}}{\frac{1}{4}}$ miles per hour, equivalently 2 miles per hour.		
7.RP.2. Recognize and represent proportional relationships between quantities.		
a. Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table, or graphing on a coordinate plane and observing		
whether the graph is a straight line through the origin.		
b. Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.		
c. Represent proportional relationships by equations. For example, if total cost t is proportional to the number n of items purchased at a constant price p, the		
relationship between the total cost and the number of items can be expressed as $t = pn$ .		
d. Explain what a point ( <i>x</i> , <i>y</i> ) on the graph of a proportional relationship means in terms of the situation, with special attention to the points (0, 0) and (1, <i>r</i> ) where <i>r</i> is		
the unit rate. 7.RP.3. Use proportional relationships to solve multi-step ratio and percent problems. <i>Examples: simple interest, tax, markups and markdowns, gratuities and</i>		
commissions, fees, percent increase and decrease, percent error.		
The Number System 7.NS		
Apply and extend previous understandings of operations with fractions to add, subtract, multiply, and divide rational numbers.		
7.NS.1. Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a		
horizontal or vertical number line diagram.		
a. Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.		
b. Understand $p + q$ as the number located a distance $ q $ from p, in the positive or negative direction depending on whether q is positive or negative.		
Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.		
c. Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$ . Show that the distance between two rational numbers		
on the number line is the absolute value of their difference, and apply this principle in real-world contexts.		
d. Apply properties of operations as strategies to add and subtract rational numbers.		
7.NS.2 Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.		
a. Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of		
operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret		
products of rational numbers by describing real-world contexts.		
b. Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational		
number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-q)$ . Interpret quotients of rational numbers by describing real-world contexts.		
c. Apply properties of operations as strategies to multiply and divide rational numbers.		
d. Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.		
<b>7.NS.3.</b> Solve real-world and mathematical problems involving the four operations with rational numbers. <sup>1</sup>		
Expressions and Equations 7.EE		
Use properties of operations to generate equivalent expressions.		
7.EE .1. Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.		

## MASSACHUSETTS CURRICULUM FRAMEWORK FOR MATHEMATICS- GRADE 7

	hat rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. + 0.05a = 1.05a means that "increase by 5%" is the same as "multiply by 1.05."
Solve real-life and mat	nematical problems using numerical and algebraic expressions and equations.
using tools strat reasonableness an additional 1/ <sub>1</sub>	p real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), egically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the of answers using mental computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make $_0$ of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar 9¾ inches long in the center of a door that is e, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.
	to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning
forms fluen	ities. problems leading to equations of the form $px + q = r$ and $p(x \neq q) = r$ , where $p$ , $q$ , and $r$ are specific rational numbers. Solve equations of these ily. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, the f a rectangle is 54 cm. Its length is 6 cm. What is its width?
inequality a <i>your pay to</i>	problems leading to inequalities of the form $px + q > r$ or $px + q < r$ , where $p$ , $q$ , and $r$ are specific rational numbers. Graph the solution set of the nd interpret it in the context of the problem. For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.
	analysis of patterns to include analyzing, extending, and determining an expression for simple arithmetic and geometric sequences (e.g., unding, increasing area), using tables, graphs, words, and expressions.
Geometry	7.G
Draw, construct, and d	escribe geometrical figures and describe the relationships between them.
7.G.1. Solve problems drawing at a diff	involving scale drawings of geometric figures, such as computing actual lengths and areas from a scale drawing and reproducing a scale ferent scale.
7.G.2. Draw (freehand	, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.
7.G .3. Describe the tw rectangular pyr	o-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right amids.
Solve real-life and mat	hematical problems involving angle measure, area, surface area, and volume.
	las for the area and circumference of a circle and solve problems; give an ion of the relationship between the circumference and area of a circle.
	t supplementary, complementary, vertical, and adjacent angles in a multi-step and use them to solve simple equations for an unknown angle in a figure.
7.G.6. Solve real-world	and mathematical problems involving area, volume, and surface area of two- and
	al objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms. orld and mathematical problems involving the surface area of spheres.
Statistics and Proba	
	to draw inferences about a population.
	at statistics can be used to gain information about a population by examining a sample of the population; generalizations about a
	a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce

## MASSACHUSETTS CURRICULUM FRAMEWORK FOR MATHEMATICS- GRADE 7

7.SP.1. Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.. 7.SP .2. Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be Draw informal comparative inferences about two populations. 7.SP .3. Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable 7.SP .4. Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book Investigate chance processes and develop, use, and evaluate probability models. 7.SP .5. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around ½ indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event. 7.SP .6. Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times 7.SP.7. Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy. a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected. b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies? 7.SP .8. Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation. a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs. b. Represent sample spaces for compound events using methods such as organized lists, tables, and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space which compose the event.